



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY
BY THE
UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT
PREVALENCE OF DISEASE, THE OCCURRENCE
OF EPIDEMICS, SANITARY LEGISLATION, AND
RELATED SUBJECTS

VOLUME 32
NUMBER 17
APRIL 27, 1917



WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT

5 CENTS PER COPY
SUBSCRIPTION PRICE, \$2.00 PER YEAR

▽

CONTENTS.

	Page.
The notifiable diseases—Prevalence during 1916 in cities of over 100,000.	
Diphtheria, gonorrhea, malaria, measles, epidemic cerebrospinal meningitis, pellagra, poliomyelitis, rabies in man, rabies in animals, scarlet fever, smallpox, syphilis, tuberculosis (pulmonary), tuberculosis (all forms), and typhoid fever—Cases and deaths reported, indicated case rates per 1,000 population, indicated fatality rates per 100 cases, and indicated mortality rates of diphtheria, measles, scarlet fever, tuberculosis (pulmonary), tuberculosis (all forms), and typhoid fever, per 1,000 population	595.
PREVALENCE OF DISEASE.	
United States:	
Reciprocal notification—	
Minnesota	608
Cerebrospinal meningitis—	
Illinois—Mound City	609
State reports for March, 1917	609
City reports for week ended April 7, 1917	610
Erysipelas—	
City reports for week ended April 7, 1917	610
Malaria—	
State reports for March, 1917	611
City report for week ended April 7, 1917	611
Measles—	
California—Los Angeles	611
Georgia—Savannah	611
Washington—Seattle	612
Pellagra—	
State reports for March, 1917	612
City reports for week ended April 7, 1917	612
Plague—	
California—San Mateo County—Plague-infected squirrel found	612
Pneumonia—	
City reports for week ended April 7, 1917	613
Poliomyelitis (infantile paralysis)—	
State reports for March, 1917	613
City reports for week ended April 7, 1917	613
Rabies in animals—	
City report for week ended April 7, 1917	614
Smallpox—	
Connecticut	614
Illinois—Cairo	614
Minnesota	614
Oregon—Astoria	614
Texas—Galveston	614
State reports for March, 1917	615
Miscellaneous State reports	619
City reports for week ended April 7, 1917	620

United States—Continued.

Tetanus—	Page.
City reports for week ended April 7, 1917.....	620
Typhoid fever—	
State reports for March, 1917.....	620
City reports for week ended April 7, 1917.....	623
Typhus fever—	
Texas.....	623
Preventable diseases—	
Massachusetts report for week ended April 7, 1917.....	623
Diphtheria, measles, scarlet fever, and tuberculosis—	
State reports for March, 1917.....	624
City reports for week ended April 7, 1917.....	624

Foreign:

Cuba—	
Communicable diseases—Habana.....	627
Greece:	
Plague—Athens.....	627
India—	
Protection of vessels against access of rats—Bombay.....	627
Italy—	
Typhus fever—Corato.....	627
Peru—	
Plague—January 1–February 15, 1917.....	628
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Reports received during the week ended April 27, 1917—	
Cholera.....	628
Plague.....	628
Smallpox.....	629
Typhus fever.....	630
Reports received from December 30, 1916, to April 20, 1917—	
Cholera.....	630
Plague.....	632
Smallpox.....	633
Typhus fever.....	636
Yellow fever.....	637